

Ann. Funct. Anal. 3 (2012), no. 1, 32–48

ANNALS OF FUNCTIONAL ANALYSIS

ISSN: 2008-8752 (electronic)

URL: www.emis.de/journals/AFA/

DOMAIN OF THE TRIPLE BAND MATRIX ON SOME MADDOX'S SPACES

FEYZİ BAŞAR¹ AND AHMET FARUK ÇAKMAK²

Communicated by D. H. Leung

ABSTRACT. The sequence spaces $\ell_{\infty}(p)$, c(p) and $c_0(p)$ were introduced and studied by Maddox [Proc. Cambridge Philos. Soc. 64 (1968), 335–340]. In the present paper, we introduce the sequence spaces $\ell_{\infty}(B,p)$, c(B,p) and $c_0(B,p)$ of non-absolute type which are derived by the triple band matrix B(r,s,t) and is proved that the spaces $\ell_{\infty}(B,p)$, c(B,p) and $c_0(B,p)$ are paranorm isomorphic to the spaces $\ell_{\infty}(p)$, c(p) and $c_0(p)$; respectively. Besides this, the α -, β - and γ -duals of the spaces $\ell_{\infty}(B,p)$, c(B,p) and $c_0(B,p)$ are computed and the bases of the spaces c(B,p) and $c_0(B,p)$ are constructed. Finally, the matrix mappings from the sequence spaces $\lambda(B,p)$ to a given sequence space μ and from the sequence space μ to the sequence space $\lambda(B,p)$ are characterized, where $\lambda \in \{\ell_{\infty}, c, c_0\}$.

E-mail address: fbasar@fatih.edu.tr; feyzibasar@gmail.com

E-mail address: ahmetfarukcakmak@gmail.com

Date: Received: 30 September 2011; Accepted: 5 January 2012.

¹ Department of Mathematics, Fatih University, The Hadimköy Campus; Büyükçekmece, 34500–İstanbul, Turkey

 $^{^2}$ Department of of Mathematical Engineering, Davutpaşa Campus; Esenler, 80750-İstanbul, Turkey.

¹ Corresponding author.

²⁰¹⁰ Mathematics Subject Classification. Primary 46A45; Secondary 40C05.

Key words and phrases. Paranormed sequence space, matrix domain, f-, β - and γ -duals, triple band matrix, AD property and matrix transformations.